



EZTREK™

CLINICAL CASES

DR OSCAR BARRETO DPM, NP, FACFAS

CASE # 1

- ◇ 60-year-old Hispanic male with right planter sub 5th metatarsal open wound.
- ◇ This is the 4th time it has opened in the past 8 years. The last two previous ulcers healed in 50 and 54 weeks. This time ulcer healed in 46 weeks. History of PVD and Diabetes with a HA1c of 9.4.

Endorses improvement in his neuropathy.

Pic # 1 August 19, 2020

Pic # 2 Jan 20, 2021

Pic # 3 June 30, 2021



CASE #2

- ◇ 57-year-old white male presents with ischemic eschar of the 2nd right digit and eschar of the anterior distal hallux with pain on palpation.
- ◇ Told by the vascular service that it would likely demarcate and he would lose the digit. I treated him with betadine and EZTREK™ 5cc, 5-days-a-week. Healing time was 9 weeks.
- ◇ Pic # 1 Feb 4, 2021
- ◇ Pic # 2 April 9, 2021



CASE #3

- ◇ 78-year-old Hispanic male with a right ankle open venous ulcer.
- ◇ Patient has a history of varicose veins and severe COPD. This is the 2nd time his ulcer has opened. The first time I treated him the ulcer was managed with foam and three-ply compression. It closed in 16 weeks. This time I treated with foam, three-ply compression, and 5cc of EZTREK™ 5-days-a-week. Closed in 13 weeks / 3 weeks earlier.
- ◇ Endorses less pain on the site.
- ◇ Pic # 1 Jan 28, 2021
- ◇ PIC # 2 April 29, 2021



CASE #4

- ◆ PT KH female 39-yo with morbid obesity, Venus insufficiency, and a traumatic wound to Left anterior leg onset 1 year ago. Using Collagen and 4-layers compression. Started EZTREK™.
- ◆ 4/13/ 2021 Wound measurements: 3.5 cm x 2.0 cm x 0.1
- ◆ Pic 6/22/2021 -- Wound measurements: 2.0 cm x 1.3 cm x 0.1

Courtesy of Dr. Monica Vierra Mulet, DNP



CASE #5

- ◆ PT KB female 25 yo with Hx of Spina Bifida, Fibromyalgia, and depression:
- ◆ Rt Lower back PU stage 4 since approx. 2 years ago. Started EZTREK™ 06/04/2021. Wound measurements: 6.5 cm x 9.1 cm x 2.0 cm
- ◆ Pic #2 06/25/2021 Wound measurements: 5.5 cm x 9.4 cm x 2.0 cm

Courtesy of Dr. Monica Vierra Mulet, DNP



NON-WOUND CASES

NON-WOUND CASES

- ◆ I understand the following is subjective and non-quantified. However, these results should encourage you to recommend EZTREK™ to your patients.
- ◆ Patients are often taking supplements based on little science.
- ◆ EZTREK™ has demonstrated, via its compensation of the impaired delta-6 desaturase pathway, how these findings are possible.

NON-WOUND CASES

- ◆ Patient A. RA sufferer for over 15 years, and since using EZTREK™, has noticed that she has used less pain medication.
- ◆ Patient B. sufferer for over 10 years with Fibromyalgia has also endorsed using less medication.

NON-WOUND CASES

- ◆ Three patients with diabetic neuropathy all have experienced either less pain or mild improvement in the local sensation since they have been on EZTREK™. Treatment started on February 2021.
- ◆ I presently have two patients post Covid19 on EZTREK™. They have presented with similar neuropathic manifestation and I'm awaiting their response.

Conclusion

- ◆ As a Podiatric Physician and Nurse Practitioner practicing functional medicine, I have seen a significant improvement in the patients using EZTREK™. I strongly recommend for all your patients that suffer from an impaired delta-6 desaturase pathway to use EZTREK™.
- ◆ A typical podiatric practice will see approximately 80-90% of patients with these complaints.

Thank you.